

FIG. 1




FIG. 1

MTF 111

mib mib2

```
{
  file mib2.mib
  version 2
  agent "MIB2 (wan port)"
  translation
  {
    mediaType = -100
    mediaSpeed = ifSpeed%
    operStatus = ifOperStatus%
    operStatusLastChange = ifLastChange%
    variable1 = ifInUcastPkts + ifInNUcastPkts +
ifInErrors + ifInDiscards + ifInUnknownProtos
    variable2 = ifInOctets
    variable3 = ifInNUcastPkts
    variable4 = ifInNUcastPkts + ifOutNUcastPkts
    variable10 = ifInErrors
    variable9 = ifInDiscards
    variable16 = ifInUnknownProtos
    variable22 = ifInUcastPkts + ifInNUcastPkts +
ifOutUcastPkts + ifOutNUcastPkts + ifInErrors + ifInDiscards
+ ifInUnknownProtos
    variable23 = ifInOctets + ifOutOctets
    variable24 = ifInErrors + ifOutErrors
    variable25 = ifInDiscards + ifOutDiscards
  }
}
```

dataSourceType dataSourceType
presVarListName presVarListName
protocol protocol

FIG. 2




FIG. 3




FIG. 5





FIG. 6

FIG. 7



FOOT-119966




FIG. 8




FIG. 4




FIG. 9